Integration Steps

Prerequisites

- The legal entity has completed onboarding in the DOME ecosystem.
- The LEAR has obtained a valid **LEAR Credential** through the Issuer service.
- The end user (employee, contractor, etc.) has received a **Verifiable Credential** issued by the LEAR of their organization.
- DID method supported: `did:key`.
- Access to developer documentation and environment URLs (Verifier Authorization Server and APIs).

Step 1 – User credential issuance

The organization's LEAR uses the Issuer service to issue a **Verifiable Credential** to the employee or user who will log in through the public client.

- The credential is bound to the user's DID.
- It includes roles or permissions within the organization.
- The credential is stored in the user's **Wallet application**, which can later present it during authentication.

Outcome:
User holds a valid **LEAR Credential** stored in their wallet and ready to be presented during the login process.

Step 2 – Client configuration

Client type: Public (web or mobile app).

- Obtain and store the assigned `client_id,` which can be a did:key or a unique identifier.
- Register the `redirect_uri`.
- Implement PKCE support (`code_challenge` / `code_verifier`) to protect the authorization code exchange.
- Ensure secure handling of redirects and state parameters.

Outcome:
Public client is configured and ready to initiate the OAuth 2.1 Authorization Code Flow with PKCE.

Step 3 - Registering to the Verifier (Trusted Services List)

The relying party must be registered in the Trusted Services List. The data must match with your client's configuration (see step 2).

Field	Description
clientId	Should be a did:key or a unique identifier for your client.
url	The base URL of your service or application.
redirectUris	Must include all the URLs where you expect to receive authentication responses.
scopes	Currently, only openid_learcredential is accepted. This scope allows your service to request the necessary credentials.
clientAuthenticationMethods	Must be set to ["none"]
authorizationGrantTypes	Must be set to ["authorization_code"] and ["refresh_token"] if needed.
postLogoutRedirectUris	Include URLs where users should be redirected after they log out from your service.
requireAuthorizationConsent	Set to false.
requireProofKey	Set to true to force PKCE.
jwkSetUrl	Leave it blank.
tokenEndpointAuthenticationSigningAlgorithm	Must be set to ES256, as this is the only supported algorithm.

Image not found or type unknown
image.png

Step 4 – Authorization request

The public client initiates the authentication process by redirecting the user to the Verifier's **Authorization Endpoint**, including the required parameters:

- `client_id`: has to match the one in your client's configuration
- `redirect_uri`: has to match the one in your client's configuration
- `response_type=code`
- `scope =` `openid learcredential`
- `state`: random string
- `nonce`: random string (this will be added in the ID token, so it is recommended if you rely on the ID token)
- `code_challenge` (derived from `code_verifier`)
- `code_challenge_method=S256`

Non-normative example:

```
GET /oidc/auth?
client_id=did:key:zDnaeUidLS8MbNQuHsnbd3xMvfk4baLZKeWiFV7UHAv9NsmUE
&redirect_uri=https%3A%2F%2Fapp.client.org%2F
&response_type=code
&scope=openid%20eidas
&nonce=1234567890abcdef1234567890abcdefXYZabc
&state=1234abcd5678efgh9012ijkl3456mnop7890qrst
&code_challenge=AbCdEfGhIjKlMnOpQrStUvWxYz1234567890abcdEfGhI
&code_challenge_method=S256
Host: authserver.example.org
```

Outcome:
User is redirected to the Verifier login screen and authenticates using their Wallet and Verifiable Credential.

Step 5 – Authorization response

After successful authentication and consent, the Authorization Server redirects the user back to the client with the authorization code and state.

Non-normative example:

```
HTTP/1.1 302 Found
Location: https://app.client.org/?
code=A1b2C3d4E5f6G7h8I9j0K1l2M3n4O5p6Q7r8S9t0U1v2W3x4Y5z6
&state=1234abcd5678efgh9012ijkl3456mnop7890qrst
```

Outcome:
The public client receives the authorization code and verifies that the returned `state` matches the one it initially sent.

Step 6 – Token request

The client exchanges the received authorization code for tokens by calling the **Token Endpoint**.
This request must include the original `code_verifier` used to generate the challenge.

Non-normative example:

```
POST /oauth2/token HTTP/1.1
Host: authserver.example.org
Content-Type: application/json
Content-Length: 311
{
  "grant_type": "authorization_code",
  "client_id": "https://app.client.com",
  "code_verifier": "b7f9a4b52e6347a1b8f2c3d1a6...9e0f1ABCxyz",
  "code": "A1b2C3d4E5f6G7h8I9j0K1l2M3n4O5p6Q7r8S9t0U1v2W3x4Y5z6",
  "redirect_uri": "https://app.client.org/"
}
```

Outcome:
The Verifier validates the code and code_verifier and issues an access token and ID token.

Step 7 – Token response

Non-normative example:

```
HTTP/1.1 200 OK
Content-Type: application/json
Cache-Control: no-store
{
  "access_token": "eyJhbGciOiJFQ0RILUVTIiwiZ...qtAlx1oFIUpQQ",
  "expires_in": 3600,
  "id_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...p-QV30",
  "scope": "openid profile email",
  "token_type": "Bearer"
}
```

Outcome:

- `access_token` is used to call protected APIs on the Verifier.
- `id_token` identifies the authenticated user.
- Tokens have a limited lifetime (typically 1 hour).

Step 7 – Use access token

The public client includes the access token in the `Authorization` header when calling Verifier-protected APIs:

```
Authorization: Bearer eyJhbGciOiJFQ0RILUVTIiwiZ...
```

The Verifier validates the token, checks its signature and expiration, and grants access to the requested resources.

Pitfalls to avoid

- Mismatch between `client_id` or `redirect_uri` in request and registration.
- Missing or incorrect `code_verifier` / `code_challenge`.
- Using a weak or predictable `state` value (CSRF risk).
- Reusing authorization codes.
- Not handling token expiration and refresh flow.
- Forgetting to set `Cache-Control: no-store` in responses.

Revision #5
Created 10 November 2025 15:25:49 by Roger Miret
Updated 11 March 2026 11:03:32 by Roger Miret